

Attachment 1: Diamond drilling results 2024 from Pampalo Mine, Finland

Table 1) Diamond drilling results 2024 from Pampalo underground mine, Karelian Gold Line, Finland

Hole ID	Northing	Easting	Elevation	Azimuth (°)	Dip (°)	Length (m)	From (m)	To (m)	Downhole length (m)	True Width (m)	Au (g/t) uncapped	Au (g/t) capped*
T-1971	6159.6	10065.5	-904.3	70.0	3.0	95.1	80.5	86.7	6.3	5.4	7.2	
							<i>Including</i> 84.0	84.9	0.8	0.7	38.0	20.0
T-1972	6159.6	10065.5	-904.3	60.0	0.0	98.9	39.3	39.8	0.5	0.4	4.7	
							70.0	71.0	1.0	0.8	1.2	
							82.7	83.7	1.0	0.8	2.5	
T-1973	6159.5	10065.6	-902.6	55.2	4.6	94.0	79.0	82.1	3.1	2.3	2.1	
							86.0	86.5	0.5	0.4	1.1	
T-1974	6159.5	10065.5	-903.1	59.1	-5.4	90.1	83.8	85.1	1.3	1.1	2.9	
T-1976	6159.6	10065.5	-904.3	110.3	-42.0	79.1	65.8	66.5	0.7	0.6	1.5	
T-1977	6159.6	10065.5	-904.3	110.9	-43.9	82.1	49.0	51.0	2.0	1.7	1.9	
							66.3	67.4	1.1	0.9	2.0	
T-1978	6159.0	10064.5	-903.9	115.0	-60.0	87.2	69.2	73.2	4.0	2.8	16.3	12.6
T-1979	6159.6	10065.5	-904.3	93.0	-60.0	92.8	70.4	71.0	0.6	0.5	1.2	
T-1980	6159.5	10064.2	-904.0	88.9	-46.7	90.4	76.6	79.6	3.0	2.6	1.1	
T-1981	6159.6	10065.5	-904.3	75.0	-50.0	90.0	42.0	44.9	2.9	2.4	2.0	
							69.5	72.9	3.3	2.8	9.9	
T-1982	6159.6	10065.5	-904.3	75.0	-59.0	90.2	78.9	80.8	1.9	1.4	1.4	
							83.3	84.0	0.8	0.6	1.2	
T-1983	6159.6	10065.5	-904.3	65.0	-70.0	105.4	86.3	93.7	7.5	4.3	10.3	7.8
							<i>Including</i> 87.1	89.3	2.2	1.3	28.5	20.0
T-1984	6159.6	10065.5	-904.3	64.0	-62.0	99.5	85.0	86.6	1.6	1.1	1.8	
T-1985	6158.8	10064.6	-903.8	53.0	-65.0	100.4	81.0	82.0	1.0	0.6	1.1	
							87.3	90.8	3.5	1.9	2.2	
T-1986	6159.2	10065.2	-903.9	73.6	-41.2	85.2	65.3	70.7	5.4	4.8	14.5	10.5
							<i>Including</i> 68.0	68.8	0.8	0.7	35.5	20.0
							80.7	81.9	1.2	1.1	1.4	
T-1988	6159.4	10065.3	-903.9	61.5	-37.4	97.8	66.8	73.5	6.7	5.6	1.8	
							81.0	86.0	4.2	3.5	2.4	
							<i>Including</i> 85.0	86.0	1.0	0.8	5.1	
T-1989	6159.2	10065.2	-904.0	64.9	-45.0	92.3	68.6	74.3	5.7	4.6	9.1	
							81.0	81.9	0.8	0.7	5.5	
T-1990	6159.0	10065.1	-904.0	46.4	-47.5	118.6	18.1	19.2	1.1	0.7	1.0	
							94.3	99.0	4.7	3.0	18.1	13.0
							114.8	116.0	1.2	0.8	1.7	
T-1991	6163.7	10061.5	-903.4	63.0	-31.0	93.1	19.7	21.8	2.1	1.8	2.1	
							65.3	70.8	5.5	4.8	5.2	
							<i>Including</i> 66.3	67.4	1.1	1.0	13.1	
							82.4	86.3	4.0	3.5	5.5	
T-1992	6163.5	10061.0	-904.0	80.5	-44.1	95.5	72.8	73.7	0.9	0.8	2.7	
							81.3	82.2	0.9	0.8	1.3	
							86.1	87.1	1.0	0.9	1.9	
							90.0	91.0	1.0	0.9	1.2	
T-1993	6163.7	10061.6	-903.1	59.8	-14.1	108.0	27.0	28.0	1.0	0.9	1.3	

							89.7	96.8	7.1	6.1	4.6	
						<i>Including</i>	96.0	96.8	0.8	0.7	11.8	
T-1994	6163.7	10061.5	-903.4	70.5	-16.5	99.2	72.0	73.0	1.0	0.9	27.6	
							86.5	89.2	2.7	2.5	2.8	
							92.4	93.4	1.1	1.0	8.6	
T-1995	6163.9	10061.8	-904.4	62.7	-34.4	105.3	75.5	84.0	8.5	7.3	2.0	
						<i>Including</i>	80.0	81.1	1.1	0.9	6.0	
							90.6	96.2	5.6	4.8	2.0	
							102.3	104.1	1.8	1.5	2.8	
T-1996	6163.6	10061.3	-904.0	72.7	-38.6	99.1	81.9	84.0	1.8	1.6	15.2	
							91.0	92.0	1.1	0.9	3.0	
							95.3	96.2	0.9	0.8	1.7	
T-1997	6164.1	10061.5	-902.9	52.1	-5.6	100.2	68.8	69.3	0.5	0.4	2.6	
							87.4	90.4	3.1	2.3	2.2	
T-2006	6157.3	10057.0	-903.0	138.6	-15.8	94.8	78.6	81.6	3.1	2.0	3.2	
							83.8	85.5	1.7	1.1	2.5	
							88.2	90.1	1.9	1.3	1.8	
T-2007	6157.4	10056.7	-903.0	150.8	-18.1	115.7	100.0	111.5	11.5	5.6	6.8	
						<i>Including</i>	107.1	110.4	3.3	1.6	16.1	
T-2008	6156.8	10060.5	-904.3	145.0	-30.0	94.4	20.7	21.8	1.1	0.6	1.3	
							83.4	90.3	6.8	3.9	5.1	
						<i>Including</i>	84.8	85.9	1.1	0.6	10.3	
T-2009	6157.8	10057.3	-903.8	146.6	-35.2	97.0	87.2	93.8	6.6	3.5	13.5	12.6
T-2010	6157.3	10060.2	-904.0	144.8	-51.3	100.3	93.4	97.2	2.3	1.2	9.4	
T-2011	6157.4	10057.1	-903.8	133.7	-31.5	88.1	70.9	76.1	5.2	3.7	38.6	13.3
						<i>Including</i>	74.6	75.3	0.7	0.5	127.0	20.0
T-2012	6156.8	10060.5	-904.3	143.0	-50.0	111.3	87.5	92.6	5.1	2.7	8.9	6.7
						<i>Including</i>	88.5	89.0	0.5	0.3	40.7	20.0
T-2013	6156.8	10060.5	-904.3	150.0	-65.0	117.0	105.1	108.7	3.6	1.3	14.3	10.2
T-2014	6157.4	10057.2	-903.3	126.9	-22.8	84.4	64.8	65.6	0.8	0.6	4.1	
							68.6	73.0	4.4	3.5	1.4	
							79.0	79.7	0.7	0.5	2.1	
T-2015	6157.7	10058.0	-903.9	127.5	-30.7	84.2	67.7	76.6	8.9	7.0	1.4	
						<i>Including</i>	72.7	73.7	1.0	0.8	3.3	
T-2016	6158.0	10057.7	-903.9	129.8	-39.7	86.2	72.9	78.9	5.8	4.2	7.1	6.9
						<i>Including</i>	76.5	77.8	1.3	0.9	19.2	18.1
T-2017	6156.8	10060.5	-904.3	135.1	-59.7	108.6	91.6	94.8	2.4	1.3	5.4	
T-2018	6158.1	10057.4	-903.9	118.2	-41.0	84.2	67.8	74.3	6.5	5.3	1.4	
							76.4	77.4	1.1	0.9	1.3	
T-2019	6156.8	10060.5	-904.3	120.7	-56.6	94.4	80.3	85.8	5.5	3.8	5.1	
						<i>Including</i>	84.1	84.9	0.8	0.6	17.9	
T-2020	6158.4	10056.7	-903.6	110.0	-75.0	110.0	100.0	104.2	4.2	2.3	6.8	
						<i>Including</i>	100.0	101.0	1.0	0.5	20.0	20.0
T-2021	6156.8	10060.5	-904.3	106.6	-58.7	99.0	82.5	88.4	5.8	4.3	2.7	
						<i>Including</i>	85.1	85.9	0.8	0.6	7.7	
T-2022	6163.8	10060.0	-904.0	80.0	-64.0	95.8	80.8	88.5	7.7	5.5	5.7	5.4
						<i>Including</i>	85.8	86.7	0.9	0.6	22.4	20.0
T-2023	6163.8	10059.8	-904.0	108.1	-62.3	100.8	86.0	93.0	7.0	4.9	3.1	
						<i>Including</i>	89.8	91.5	1.7	1.2	8.8	

T-2024	6163.7	10059.8	-904.0	93.6	-72.2	114.2	106.5	109.5	3.0	1.8	5.7	
T-2031	6178.5	10058.3	-904.4	5.0	-65.0	216.4	199.3	205.0	5.7	0.4	15.4	14.8
							210.5	212.9	2.4	0.1	1.2	
T-2032	6176.6	10058.1	-903.8	25.8	-71.2	205.1	122.6	123.6	1.1	0.3	12.8	
							178.8	197.8	19.0	5.2	7.4	6.1
						<i>Including</i>	188.0	188.9	0.9	0.2	15.4	
						<i>Including</i>	191.7	194.0	2.3	0.6	28.3	18.0
T-2033	6178.5	10058.3	-904.4	4.0	-75.0	181.2	117.5	118.2	0.7	0.0	7.6	
							144.0	145.0	1.0	0.0	9.3	
							166.5	173.0	5.5	0.2	4.8	

*Note: Coordinates are in local Mine Grid. A lower cut-off of 1.0 g/tonne Au and a maximum 2 m internal dilution was used for reporting. *Assay results capped at 20 g/t gold (Based on the geostatistical analysis and the recorded production data from the mine).*